REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

1. REPORT DATE *(DD-MM-YYYY)*	2. REPORT TYPE	3. DATES COVERED *(From - To)*
	Technical Papers	

4. TITLE AND SUBTITLE

5a. CONTRACT NUMBER

5b. GRANT NUMBER

5c. PROGRAM ELEMENT NUMBER

6. AUTHOR(S)

5d. PROJECT NUMBER
2303

5e. TASK NUMBER
M1A3

5f. WORK UNIT NUMBER

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)

Air Force Research Laboratory (AFMC)
AFRL/PRS
5 Pollux Drive
Edwards AFB CA 93524-7048

8. PERFORMING ORGANIZATION REPORT

9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)

Air Force Research Laboratory (AFMC)
AFRL/PRS
5 Pollux Drive
Edwards AFB CA 93524-7048

10. SPONSOR/MONITOR'S ACRONYM(S)

11. SPONSOR/MONITOR'S NUMBER(S)

12. DISTRIBUTION / AVAILABILITY STATEMENT

Approved for public release; distribution unlimited.

13. SUPPLEMENTARY NOTES

14. ABSTRACT

15. SUBJECT TERMS

16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT	b. ABSTRACT	c. THIS PAGE			Leilani Richardson
Unclassified	Unclassified	Unclassified	A		19b. TELEPHONE NUMBER *(include area code)* (661) 275-5015

13 separate items enclosed

2303M1A3

MEMORANDUM FOR PR (Contractor/In-House Publication)

FROM: PROI (TI) (STINFO) 17 Apr 2000

SUBJECT: Authorization for Release of Technical Information, Control Number: **AFRL-PR-ED-TP-2000-070**
Blanksi, R., Phillips, S., Chaffee, K.; Lichtenhan, J. (Hybrid Plastics); Lee, A. & Geng, H.P. (Michigan State University), "The Synthesis of Hybrid Materials by the Blending of Polyhedral Oligosilsesquioxanes into Organic Polymers"

Materials Research Society Meeting **(Statement A)**
(San Francisco, CA, 24 Apr – 02 May 2000) (Submission Deadline: 02 May 2000)

1. This request has been reviewed by the Foreign Disclosure Office for: a.) appropriateness of distribution statement, b.) military/national critical technology, c.) export controls or distribution restrictions, d.) appropriateness for release to a foreign nation, and e.) technical sensitivity and/or economic sensitivity.
Comments:_____

Signature _____ Date _____

2. This request has been reviewed by the Public Affairs Office for: a.) appropriateness for public release and/or b) possible higher headquarters review.
Comments: _____

Signature _____ Date _____

3. This request has been reviewed by the STINFO for: a.) changes if approved as amended, b.) appropriateness of distribution statement, c.) military/national critical technology, d.) economic sensitivity, e.) parallel review completed if required, and f.) format and completion of meeting clearance form if required
Comments:_____

Signature _____ Date _____

4. This request has been reviewed by PR for: a.) technical accuracy, b.) appropriateness for audience, c.) appropriateness of distribution statement, d.) technical sensitivity and economic sensitivity, e.) military/ national critical technology, and f.) data rights and patentability
Comments:_____

APPROVED/APPROVED AS AMENDED/DISAPPROVED

_____

ROBERT C. CORLEY (Date)
Senior Scientist (Propulsion)
Propulsion Directorate

The Synthesis of Hybrid Materials by the Blending of Polyhedral Oligosilsesquioxanes into Organic Polymers

Rusty L. Blanski[1], Shawn H. Phillips[1], Kevin Chaffee[1], Joseph Lichtenhan[2], Andre Lee[3],and Hei Ping Geng[3].

[1]AFRL/PRSM, Air Force Research Laboratory, 10 E. Saturn Blvd, Bldg. 8451, Edwards AFB, CA 93524,

[2]Hybrid Plastics, 18237 Mt. Baldy Circle, Fountain Valley, CA 92708

[3]Department of Materials Science and Mechanics, Michigan State University, East Lansing, MI 48824


Edwards AFRL
0
100mi
100km
San Jose
Salinas
Fresno
Bakersfield
Los Angeles
Ontario
Orange
Oceanside
San Diego
Phoenix
©1999 MapQuest.com, Inc.;©1999 AND Mapping B.V.

Hybrid Organic/Inorganic Blends

- GOAL: To study the interaction and solubility of Polyhedral Oligosilsesquioxane (POSS) molecules containing various organic side groups with the polymer matrix
- Polystyrene was chosen since it is readily available and can easily be solvent cast with the POSS molecules for TEM studies

Why Use Blendables?

- Easier to tailor the organic side groups of the POSS molecule to give a polymer-soluble species
- Simple blending techniques can be used instead of copolymerization with reactive POSS monomers
- Potential Drop-in molecular modifier without requiring expensive replacement of processing equipment

POSS = Polyhedral Oligomeric Silsesquioxane General Synthesis





POSS = Polyhedral Oligomeric Silsesquioxane General Synthesis



Preparation of Styrene-POSS Blends

- **TEM Method**
- Dissolve the Styrene and POSS in THF
- Cast very thin film by slow solvent evaporation
- **Traditional Processing**
- Place Polystyrene in Extruder
- Add POSS
- Blend 2-5 Minutes



POSS Blends - Crystal Formation

50 wt % Cp_8T_8 in 2 million mol. wt. Polystyrene



Cp_8T_8



TEM image clearly shows formation of immiscible POSS crystallites (20-50k molecules)

POSS Blends - Crystal Formation

50 wt % Vi_8T_8 in 2 million mol. wt. Polystyrene



Vi_8T_8

TEM image clearly shows immiscibility in polymer system

POSS Blends - Increased Solubility

50 wt % Cp_7T_8Styryl in 2 million mol. wt. Polystyrene





TEM image shows significant decrease in size of crystallites

POSS Blends - Miscibility

50 wt % Styrenyl$_8$T$_8$ in 2 million mol. wt. Polystyrene



R = Styrenyl



- White domains represent pure polystyrene (process issue)
- Grey domains represent miscible POSS/polystyrene
- Black dots are POSS crystallites (<100 POSS molecules)
- 30% increase in surface hardness of the material

POSS Blends - Miscibility

50 wt % Phenethyl$_8$T$_8$ in 2 million mol. wt. Polystyrene



R = Phenethyl



- **Demonstrated Complete Miscibility!!**
- **Grey domains represent miscible POSS/polystyrene**
- **Black dots are POSS crystallites (<100 POSS molecules)**

Conclusions

- The organic side groups on the POSS molecule are extremely important in determining the solubility of the POSS in polystyrene
- The addition of the more soluble styrenyl POSS into styrene leads to an increase in surface hardness without adversely afftecting polymer properties
- POSS can be thought of as functionalized silicas with the side groups acting as solubility enhancers

Acknowledgements

- AFRL Propulsion Directorate
- Mr. Paul Jones (Analytical)
- Dr. Charles Lee, AFOSR (Funding)